Water bottle: Many hardware and grocery stores now sell purified water that they bottle on site. They often collect containers that can no longer be refilled because of dirt or damage to the bottle. These unrefillable bottles are frequently available for free. Ask to speak to the clerk in charge of refilling bottles. Ask for a used cap as well.

Mylar balloons: Check with any local florist or novelty store.

Tubing, valves, T-connectors, barb fittings: Check at your local hardware or plumbing supply store.

Manure: If you do not know someone who has domesticated rabbits, sheep, llamas or other similar pellet-producing animals, you can often purchase sheep or steer manure by the bag at your local garden center.

1. Cut a 20cm piece of copper tubing. Round off the sharp edges of the freshly cut tubing using sandpaper or a metal file.

2. The Mylar balloon has a sleeve-like valve that prevents helium from escaping once it is filled. This sleeve will help form a leak-proof seal around the rigid tubing. Push the tubing into the neck of the balloon, past the end of the sleeve, leaving about 2cm protruding from the neck of the balloon, as shown below.



3. Test the tube to be sure air can enter and leave the balloon freely, by blowing a little in through the tube. The balloon should inflate with little or no resistance, and the air should be able to escape easily through the tube.

4. Securely tape the neck of the balloon to the tube as shown in the illustration.

5. Using a drill or cork borer, make a small (4mm) hole in the center of the stopper. Add a few drops of hot glue around and inside the hole and insert the stem of the ¼-inch T-adapter into the cork.



5. Use the stick to stir up the manure and water mixture, releasing any bubbles of air that might be trapped.

6. Clean up carefully. Use soap and wash hands thoroughly.

1. Snap the cap onto the top of the manure-filled 18 litre water bottle.

2. Be sure the ball valve is closed, but that gas moving from the water bottle can pass freely through the T-adapter to the balloon.

3. Set the biogas generator in a warm location, such as over a heat register or radiator or in a sunlit window. If the biogas generator is placed in a window, be sure to wrap the outside of the container in black plastic or construction paper, to discourage algae from growing inside the bottle.

Te . l !

For the first few weeks, your biogas generator will produce mainly carbon dioxide. When the aerobic bacteria use up all the oxygen inside the bottle, the anaerobic bacteria, which make methane, can take over. It can take up to a month for the generator to start making biogas with enough methane to be flammable.

When gas begins to accumulate in the balloon, test it by attempting to light the Bunsen burner:

1. First, open the clamp or valve so that biogas can flow back from the balloon to the Bunsen burner.

2. Have a friend squeeze the Mylar balloon gently while you attempt to light the Bunsen burner with a match or spark igniter.

3. If your Bunsen burner ignites, your biogas generator is a success!

Questions

U

U

U

U

Contact us at: education@pembina.org